	Application No.	POOLLA ET AL.	
Notice of Allowability	10/673,049		
Notice of Allowability	Examiner	Art Unit	
	Zoila E. Cabrera	2125	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communica IGHTS. This application is subje	application. If not includation will be mailed in due	ded e course. THIS
1. X This communication is responsive to <u>5/26/05</u> .			
2. ⊠ The allowed claim(s) is/are <u>1-21</u> .			
3. $igotimes$ The drawings filed on 26 September 2003 and 26 May 200	05 are accepted by the Examiner	•	
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No)	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a re IENT of this application.	ply complying with the re	equirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date (See 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the street of the Notice of Draftspers (See 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the street of Draftspers (See 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the street of Draftspers (See 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the street of Draftspers (See 37 CFR 1. each sheet).	on's Patent Drawing Review(P s Amendment / Comment or in the .84(c)) should be written on the dra	ne Office action of awings in the front (not the	ne back) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIA	L must be submitted.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 3/19/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summ Paper No./Mail 8), 7. Examiner's Ame	Date	·

Application/Control Number: 10/673,049

Art Unit: 2125

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-21 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: The allowability of the claims resides in part that the closest prior art of record **Bode et al. (US 6,535,774)** does not disclose, alone or in combination, the steps of:

Regarding independent claim 1, acquiring data for a perturbation model for a number, N, of control parameters, N being at least 1, by performing a minimum of N condition profile measurements, wherein each profile results from perturbing one or more of the control parameters until each of the control parameters has been perturbed; and constructing the perturbation model by aligning and synchronizing the temperature profile data so that the data share the same time scale to allow representing the perturbation model as T(x,y,t), in combination with the other elements and features of the claimed invention.

Regarding independent claims 15 and 18, acquiring data for a perturbation model for a number, N, of control parameters, N being at least 1, by performing a minimum of N temperature profile measurements, wherein each temperature profile results from perturbing one or more of the control parameters until each of the control parameters has been perturbed; constructing the perturbation model by aligning and synchronizing the temperature profile data so that the data share the same time scale to allow representing the perturbation model as T(x,y,t), in combination with the other elements and features of the claimed invention.

Application/Control Number: 10/673,049 Page 3

Art Unit: 2125

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zoila E. Cabrera whose telephone number is 571-272-3738. The examiner can normally be reached on M-F from 8:00 a.m. to 5:30 p.m. EST (every other Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard, can be reached on (571) 2723749. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-9600.

Zoila Cabrera Patent Examiner June 9, 2005